

# ◆ EPPO Standards ◆

**EPPO A1 AND A2 LISTS OF PESTS RECOMMENDED FOR  
REGULATION AS QUARANTINE PESTS**

**PM 1/2(33) English**



European and Mediterranean Plant Protection Organization  
21 Boulevard Richard Lenoir, 75011 Paris, France  
September 2024

## **APPROVAL**

EPPO Standard PM 1/2 was first approved by EPPO Council in September 1975. This version was approved by EPPO Council in September 2022. In the terms of Article II of the IPPC, it is a Regional Standard for EPPO Member Government Countries<sup>1</sup>.

## **REVIEW**

EPPO Standards are subject to periodic review and amendment. This standard is usually reviewed every year.

## **AMENDMENT RECORD**

Amendments will be issued as necessary, numbered and dated.

## **DISTRIBUTION**

At the difference with other EPPO Standards, the EPPO A1 and A2 lists are not published in the EPPO Bulletin but are available only from the EPPO website and the EPPO Global Database.

[https://www.eppo.int/ACTIVITIES/plant\\_quarantine/A1\\_list](https://www.eppo.int/ACTIVITIES/plant_quarantine/A1_list)

[https://www.eppo.int/ACTIVITIES/plant\\_quarantine/A2\\_list](https://www.eppo.int/ACTIVITIES/plant_quarantine/A2_list)

<https://gd.eppo.int/standards/PM1/>

## **SCOPE**

This standard presents and explains the EPPO A1 and A2 Lists of pest recommended for regulation as quarantine pests.

## **REFERENCES**

IPPC (1997) New revised text of the International Plant Protection Convention. IPPC Secretariat, FAO, Rome (IT).

IPPC (2019) *Glossary of phytosanitary terms*. ISPM No. 5 in *International Standards for Phytosanitary Measures*, 35 pp. IPPC Secretariat, FAO, Rome (IT).

OEPP/EPPO (1992) *EPPO Standard PM 5/1(1)*. Check-list of information required for pest risk analysis (PRA). *Bulletin OEPP/EPPO Bulletin* **23**, 191-198.

OEPP/EPPO (2011) *EPPO Standard PM 5/3(5)*. Decision-support scheme for quarantine pests from [https://www.eppo.int/RESOURCES/eppo\\_standards/pm5\\_pra](https://www.eppo.int/RESOURCES/eppo_standards/pm5_pra).

OEPP/EPPO (2012) *EPPO Standard PM 5/5(1)*. Decision-support scheme for an Express Pest Risk Analysis. *Bulletin OEPP/EPPO Bulletin* **42**(3), 457-462.

OEPP/EPPO (2018) *EPPO Alert List* from: [https://www.eppo.int/ACTIVITIES/plant\\_quarantine/alert\\_list](https://www.eppo.int/ACTIVITIES/plant_quarantine/alert_list)

OEPP/EPPO (2019) Review of EPPO's approach to Pest Risk Analysis (PRA). EPPO Technical Document ([https://www.eppo.int/media/uploaded\\_images/RESOURCES/eppo\\_publications/DT1079\\_PRA\\_review\\_2019.pdf](https://www.eppo.int/media/uploaded_images/RESOURCES/eppo_publications/DT1079_PRA_review_2019.pdf)).

## **DEFINITIONS**

Quarantine pest (ISPM 5)	A pest of potential economic importance to the area endangered thereby and not yet present there, or present but not widely distributed and being officially controlled.
EPPO A1 pest	A pest recommended by EPPO to member countries, for regulation as a quarantine pest, and which is not present in the EPPO region.
EPPO A2 pest	A pest recommended by EPPO to member countries, for regulation as a quarantine pest and which is present in the EPPO region.
Regional Plant Protection Organization	An intergovernmental organization with the functions laid down by Article IX of the IPPC.

<sup>1</sup> Referred to in the EPPO Convention as Member Governments.

## OUTLINE OF REQUIREMENTS

The EPPO A1 and A2 Lists include the pests which EPPO recommends to be regulated as quarantine pests, in the national phytosanitary regulations of EPPO Member Countries. These recommendations are based on appropriate documentation, and since the 2000s on Pest Risk Analyses (PRAs). This document presents the EPPO A1 and A2 Lists and gives details on their background, development and use.

## REQUIREMENTS

### General description

The EPPO Convention lays down that one of the aims of EPPO is "*to pursue and develop, by cooperation between the Member Governments, the protection of plants and plant products against pests and the prevention of their international spread and especially their introduction into endangered areas*". EPPO Council has consequently decided to draw up lists of pests whose regulation is relevant for the whole of, or large parts of, the EPPO region. The first List is of A1 pests, not present in the EPPO region. The second List is of A2 pests, present in the EPPO region but not widely distributed (i.e. absent from or not widely distributed in endangered areas in certain countries).

Notwithstanding the above, it is accepted that certain pests appearing in the A1 and A2 Lists, though of concern to some Member Countries, may not be of concern to all the countries from which they are absent or not widely distributed, and in particular that it may not be necessary or useful for all countries to take measures contributing to the protection of those countries which are at risk from these pests. Therefore, the Pest Risk Analysis (PRA) process aims to identify the part of the EPPO region which is endangered.

### Establishment and maintenance of the A1 and A2 Lists of pests recommended for regulation as quarantine pests

#### Addition of pests to the A1 or A2 Lists

EPPO started to elaborate A1 and A2 Lists in the early 1970s and the first Lists were approved in 1975. Additions of pests to the A1 or A2 List were proposed by Member Countries and made on the basis of scientific documentation and expert judgement. From 2000 to 2006, the addition of a pest to the A1 or A2 List was based on the proposal of a Member Country which provided a Pest Risk Analysis (PRA) conforming to EPPO Standard PM 5/3 *Decision support scheme for quarantine pests*, and supported by compilation of data according to EPPO Standard PM 5/1 *Check-list of information required for Pest Risk Analysis*.

Since 2006, a new system has been established and special expert groups have been created to conduct PRAs, called Expert Working Groups (EWG) for PRA. More details about the composition and procedures followed by these EWGs are described in the EPPO Technical Document no. 1079 (2019). PRAs are carried out on pests either proposed by an EPPO Member Country or by the Panel on Phytosanitary Measures (in this case, pests are mainly selected from the EPPO Alert List) or other relevant Panels such as the Panel on Invasive Alien Plants or the Panel on Quarantine Pests for Forestry. The Working Party on Phytosanitary Regulations decides on priorities for PRA, but there is flexibility to ensure that a PRA can be conducted on a new emerging pest even if it is not on the priority list. Pest Risk Analyses on pests are performed by the Expert Working Groups for PRA, following ISPM 11 and EPPO Standards PM 5/3 *Decision-support scheme for quarantine pests* or PM 5/5 *Express Pest Risk Analysis (mainly since 2015)*. The resulting PRA documents are presented to the Panel on Phytosanitary Measures (or to the Panel on Invasive Alien Plants in the case of a PRA on a plant) which makes appropriate recommendations to the EPPO Working Party on Phytosanitary Regulations on the listing and relevant phytosanitary measures to be adopted. The Working Party on Phytosanitary Regulations decides, after due consideration, whether to recommend to EPPO Council the addition of a given pest to one of the Lists. A pest will be added to the A1 List if it is absent from the EPPO region and to the A2 List if it is present in part of the EPPO region.

#### Deletion of pests from the A1 or A2 List

When new information concerning a pest is reviewed by the Panel on Phytosanitary Measures (or the relevant Panels) and leads to the conclusion that the phytosanitary risk has changed and its management as a quarantine pest is no longer justified, the Panel on Phytosanitary Measures recommends to the Working Party that the pest should be deleted from the A1 or A2 List. The EPPO Working Party on Phytosanitary Regulations decides, after due consideration, whether to recommend to EPPO Council the deletion of a given pest from the List. The pests removed from the EPPO A1 and A2 Lists are noted as "formerly" listed (see Appendix 1, Pests in numerical order).

#### *Transfer of pests from the A1 to the A2 List*

The transfer of a pest from the A1 to the A2 List, or vice versa, is decided by the Working Party on the basis of adequate documentation justifying the change in status. To consider a pest to be present in the EPPO region and consequently transfer this pest to the EPPO A2 List, the following elements should be taken into account: the life cycle of the pest, the measures being implemented in the country where the pest was detected, the aim of the measures and the prospects of successful eradication. The EPPO Working Party on Phytosanitary Regulations decides, after due consideration, whether to recommend to EPPO Council the transfer of a given pest. The date when a pest was transferred from A1 to A2 List is indicated in EPPO Global Database.

#### *Changes in taxonomy and consequences for the EPPO Lists*

When the preferred name of a pest is changed after its addition to the EPPO A1 and A2 Lists, it is updated accordingly at the next revision of the lists. If the taxonomic revision of a listed species results in splitting it into different species or merging it with others, the categorization of all species concerned is reconsidered by the Panel on Phytosanitary Measures and the Working Party on Phytosanitary Regulations. Whenever possible, the former name of the species is kept as a synonym in EPPO Global Database, so that searches can still be made on that name.

#### *EPPO A1 and A2 Lists*

The detailed contents of the EPPO A1 and A2 Lists are presented in Appendix 1.

### **PREVIOUS VERSIONS OF THIS STANDARD**

Several previous versions of the EPPO A1 and A2 Lists have already been approved and published, and are hereby established as the original versions of this standard. They are:

PM 1/2(1) EPPO recommendations on new quarantine measures. *Bulletin OEPP/EPPO Bulletin 5* (special supplement, 1975).

PM 1/2(2) EPPO recommendations on new quarantine measures (2nd edition). *Bulletin OEPP/EPPO Bulletin 12* (special supplement, 1982).

PM 1/2(3) EPPO lists of A1 and A2 quarantine organisms. *EPPO Publications Series B*, no. 92 (1988).

PM 1/2(4) Note on the A1 and A2 lists. In Specific Quarantine Requirements. *EPPO Technical Documents*, no. 1008 (1990).

Versions PM 1/2(5) to current one), corresponding to the modifications decided by EPPO Council since 1991, have been published electronically on EPPO website and the EPPO Global Database.

## APPENDIX 1 (2024-09)

### **EPPO A1 LIST OF PESTS RECOMMENDED FOR REGULATION AS QUARANTINE PESTS**

#### **BACTERIA AND PHYTOPLASMAS**

- Acidovorax citrulli* A1/379  
'*Candidatus Liberibacter africanus*' & '*Ca. L. asiaticus*'<sup>1</sup> A1/151  
'*Candidatus Liberibacter solanacearum*' (Solanaceae haplotypes) A1/365  
'*Candidatus Phytoplasma americanum*' (Potato purple-top wilt) A1/128  
'*Candidatus Phytoplasma phoenicum*' (Almond witches' broom) A1/399  
'*Candidatus Phytoplasma pruni*' (Western X-disease) A1/140  
'*Candidatus Phytoplasma ulmi*' (Elm phloem necrosis) A1/26  
Coconut lethal yellowing phytoplasma (Palm lethal yellowing) A1/159  
Peach rosette phytoplasma A1/138  
Peach yellows phytoplasma A1/139  
*Ralstonia syzyigii* A1/400  
*Xanthomonas citri* subsp. *aurantifoli* A1/397  
*Xanthomonas citri* subsp. *citri* A1/1  
*Xanthomonas euvesicatoria* pv. *allii* A1/353  
*Xanthomonas oryzae* pv. *oryzae* A1/2  
*Xanthomonas oryzae* pv. *oryzicola* A1/3

#### **FUNGI**

- Alternaria mali* A1/277  
*Anisogramma anomala* A1/201  
*Apiosporina morbosa* A1/10  
*Atropellis pinicola* A1/5  
*Atropellis piniphila* A1/280  
*Bretziella fagacearum* and its vectors A1/6  
    *Pseudopityophthorus minutissimus*  
    *Pseudopityophthorus pruinosis*  
*Cronartium coleosporioides* A1/248  
*Cronartium comandrae* A1/249  
*Cronartium comptoniae* A1/250  
*Cronartium himalayense* A1/251  
*Cronartium quercuum* A1/252  
*Grosmannia wageneri* A1/179  
*Gymnosporangium clavipes* A1/253  
*Gymnosporangium globosum* A1/254  
*Gymnosporangium juniperi-virginianae* A1/255  
*Gymnosporangium yamadae* A1/257  
*Ophiognomonia clavigignenti-juglandacearum* A1/329  
*Phyllosticta citricarpa* A1/194  
*Pseudocercospora angolensis* A1/298  
*Pseudocercospora pini* A1/7

<sup>1</sup> A third species, '*Candidatus Liberibacter americanum*' has been found in association with huanglongbing

- Puccinia pittieriana* A1/155  
*Septoria malagutii* A1/142  
*Stagonosporopsis andigena* A1/141  
*Stagonosporopsis crystalliniformis* A1/435  
*Stegophora ulmea* A1/315  
*Melampsora farlowii* A1/15  
*Mycodiella (=Mycosphaerella) laricis-leptolepidis* A1/16  
*Sphaerulina musiva (Davidiella populorum)* A1/17  
*Coniferiporia (Phellinus) weiri* A1/19  
*Phyllosticta solitaria* A1/20  
*Phymatotrichopsis omnivora* A1/21  
*Tilletia indica* A1/23  
*Thecaphora solani* A1/4  
*Chrysomyxa arctostaphyli* A1/8  
*Cronartium fusiforme* A1/9

#### **VIRUSES AND VIRUS-LIKE ORGANISMS**

- American plum line pattern virus (Ilarvirus APLPV)* A1/28  
*Andean potato latent virus (Tymovirus latandigenum)* A1/244  
*Andean potato mild mosaic virus (Tymovirus mosandigenum)* A1/384  
*Andean potato mottle virus (Comovirus andesense)* A1/245  
*Bean golden mosaic virus (Begomovirus costai)* A1/204  
*Blueberry leaf mottle virus (Nepovirus myrtillii)* A1/198  
*Cherry rasp leaf virus (Cheravirus avii)* A1/127  
*Chrysanthemum stem necrosis virus (Orthotospovirus chrysanthinecrocaulis)* A1/313  
*Citrus blight disease* A1/278  
*Citrus leprosis virus* A1/284  
*Citrus yellow mosaic virus (Badnavirus tesselloicitri)* A1/285  
*Coconut cadang-cadang viroid (Cocadviroid)* A1/192  
*Grapevine red blotch virus (Grabovirus vitis)* A1/445  
*Lettuce infectious yellows virus (Crinivirus lactucaflavi)* A1/212  
*Peach mosaic virus (Trichovirus persicae)* A1/27  
*Peach rosette mosaic virus (Nepovirus persicae)* A1/219  
*Potato black ringspot virus (Nepovirus solani)* A1/246  
*Potato virus T (Tepovirus tafsolani)* A1/247  
*Potato yellow dwarf virus (Alphanucleorhabdovirus tuberosum)* A1/29  
*Potato yellow vein virus (Crinivirus flavisolani)* A1/30  
*Potato yellowing virus* A1/220  
*Raspberry leaf curl virus (Nepovirus)* A1/31  
*Rose rosette emaravirus (Emaravirus rosae)* A1/415  
*Strawberry latent C virus* A1/129

*Tomato mottle virus* (*Begomovirus solanumvariati-* and other American Geminiviridae of capsicum and tomato) A1/225

*Watermelon silver mottle virus* (*Orthosporovirus citrullomaculosi*) A1/294

## INSECTS AND MITES

*Acleris gloverana* A1/281

*Acleris variana* A1/32

*Agrilus anxius* A1/362

*Aleurocanthus woglumi* A1/103

*Anastrepha fraterculus* A1/229

*Anastrepha ludens* A1/230

*Anastrepha obliqua* A1/231

*Anastrepha suspensa* A1/200

*Anthonomus bisignifer* A1/189

*Anthonomus eugenii* A1/202

*Anthonomus grandis* A1/34

*Anthonomus signatus* A1/164

*Apriona cinerea* A1/373

*Apriona germari* A1/371

*Apriona rugicollis* A1/372

*Bactericera cockerelli* A1/366

*Bactrocera dorsalis* A1/233

*Bactrocera latifrons* A1/404

*Bactrocera minax* A1/234

*Bactrocera tryoni* A1/235

*Bactrocera tsuneonis* A1/236

*Ceratitis rosa* A1/237

*Ceratothripoides brunneus* A1/405

*Ceratothripoides claratris* A1/406

*Chionaspis pinifoliae* A1/443

*Chloridea virescens* A1/457

*Choristoneura conflictana* A1/205

*Choristoneura fumiferana* A1/206

*Choristoneura occidentalis occidentalis* A1/207

*Choristoneura rosaceana* A1/208

*Chrysobothris femorata* A1/439

*Chrysobothris mali* A1/440

*Conotrachelus nenuphar* A1/35

*Dendroctonus adjunctus* A1/43

*Dendroctonus brevicomis* A1/263

*Dendroctonus frontalis* A1/264

*Dendroctonus ponderosae* A1/265

*Dendroctonus valens* A1/444

*Dendroctonus pseudotsugae* A1/266

*Dendroctonus rufipennis* A1/267

*Diabrotica barberi* A1/210

*Diabrotica speciosa* A1/303

*Diabrotica undecimpunctata* A1/292

*Diabrotica virgifera zeae* A1/199

*Diaphorina citri* A1/37

*Dryocoetes confusus* A1/268

*Epitrix subcrinita* A1/358

*Epitrix tuberis* A1/165

*Euphranta canadensis* A1/41

*Euphranta japonica* A1/41

*Exomala orientalis* A1/33

*Gnathotrichus sulcatus* A1/269

*Gonipterus gibberus* A1/301

*Grapholita (Cydia) packardi* A1/209

*Grapholita (Cydia) prunivora* A1/36

*Gymnandrosoma aurantianum* A1/433

*Helicoverpa zea* A1/195

*Heteronychus arator* A1/297

*Homalodisca vitripennis* A1/336

*Ips calligraphus* A1/270

*Ips confusus* A1/271

*Ips grandicollis* A1/272

*Ips lecontei* A1/273

*Ips pini* A1/274

*Ips plastographus* A1/275

*Keiferia lycopersicella* A1/367

*Leucinodes africensis* A1/385

*Leucinodes orbonalis* A1/368

*Leucinodes pseudorbonalis* A1/386

*Leucinodes rimavallis* A1/387

*Limonius californicus* A1/304

*Listronotus bonariensis* A1/168

*Lycorma delicatula* A1/396

*Malacosoma americanum* A1/276

*Malacosoma disstria* A1/213

*Margarodes prieskaensis* A1/214

*Margarodes vreditinalensis* A1/216

*Melanotus communis* A1/305

*Metamasius hemipterus* A1/356

*Naupactus leucoloma* A1/293

*Naupactus xanthographus* A1/434

*Nemorimyza maculosa* A1/152

*Neocerambyx raddei* A1/414

*Neoleucinodes elegantalis* A1/381

*Oemona hirta* A1/374

*Oligonychus perditus* A1/217

*Orgyia leucostigma* A1/441

*Orgyia pseudotsugata* A1/218

*Phyllocoptes fructiphilus* (vector of *Emaravirus rosae*) A1/416

*Pissodes nemorensis* A1/44

*Pissodes strobi* A1/258

*Pissodes terminalis* A1/259

*Premnotypes latithorax*, *P. suturicallus* & *P. vorax* A1/143

*Prodiplosis longifila* A1/407

*Rhagoletis fausta* A1/241

*Rhagoletis indifferens* A1/242

*Rhagoletis mendax* A1/243  
*Rhagoletis pomonella* A1/41  
*Rhynchosciara palmarum* A1/332  
*Ripersiella hibisci* A1/300  
*Saperda candida* A1/ 359  
*Scirtothrips aurantii* A1/221  
*Spodoptera eridania* A1/196  
*Spodoptera litura* A1/42  
*Spodoptera ornithogalli* A1/449  
*Spodoptera praefica* A1/450  
*Sternochetus mangiferae* A1/286  
*Tetranychus mexicanus* A1/451  
*Thrips palmi* A1/175  
*Unaspis citri* A1/226  
*Zeugodacus (Bactrocera) cucumis* A1/203  
*Zeugodacus (Bactrocera) cucurbitae* A1/232

#### NEMATODES

*Meloidogyne ethiopica* A1/448  
*Nacobbus aberrans* A1/144  
*Radopholus similis* (attacking citrus, formerly *R. citrophilus*) A1/161  
*Xiphinema americanum sensu stricto* A1/150  
*Xiphinema bricolense* A1/260  
*Xiphinema californicum* A1/261

#### GASTROPODA

*Pomacea canaliculata* A1/418

#### PARASITIC AND INVASIVE PLANTS

*Arceuthobium* spp. (non-European) A1/24  
    *Arceuthobium abietinum*  
    *Arceuthobium americanum*  
    *Arceuthobium campylopodium*  
    *Arceuthobium douglasii*  
    *Arceuthobium laricis*  
    *Arceuthobium minutissimum*  
    *Arceuthobium occidentale*  
    *Arceuthobium pusillum*  
    *Arceuthobium tsugense*  
    *Arceuthobium vaginatum*  
*Cortaderia jubata* A1/422  
*Lespedeza cuneata* A1/426  
*Lygodium japonicum* A1/427  
*Triadica sebifera* A1/429

## **EPPO A2 LIST OF PESTS RECOMMENDED FOR REGULATION AS QUARANTINE PESTS**

### **BACTERIA AND PHYTOPLASMAS**

*Paraburkholderia caryophylli* A2/55  
‘*Candidatus Phytoplasma mali*’ (Apple proliferation) A2/87  
‘*Candidatus Phytoplasma pyri*’ (Pear decline) A2/95  
‘*Candidatus Phytoplasma solani*’ (Stolbur) A2/100  
*Clavibacter insidiosus* A2/49  
*Clavibacter michiganensis* subsp. *michiganensis* A2/50  
*Clavibacter sepedonicus* A2/51  
*Curtobacterium flaccumfaciens* pv. *flaccumfaciens* A2/48  
*Dickeya dianthicola* (*Erwinia chrysanthemi* pv. *dianthicola*) A2/53  
*Erwinia amylovora* A2/52  
Grapevine flavescence dorée phytoplasma A2/94  
*Pantoea stewartii* subsp. *stewartii* A2/54  
*Pseudomonas syringae* pv. *actinidiae* A2/370  
*Pseudomonas syringae* pv. *persicae* A2/145  
*Ralstonia pseudosolanacearum* A2/401  
*Ralstonia solanacearum* A2/58  
*Xanthomonas arboricola* pv. *corylina* A2/134  
*Xanthomonas arboricola* pv. *pruni* A2/62  
*Xanthomonas axonopodis* pv. *poinsettiicola* A2/350  
*Xanthomonas citri* pv. *fuscans* A2/61  
*Xanthomonas cynarae* pv. *gardneri* A2/391  
*Xanthomonas euvesicatoria* pv. *euvesicatoria* A2/390  
*Xanthomonas euvesicatoria* pv. *perforans* A2/392  
*Xanthomonas fragariae* A2/135  
*Xanthomonas phaseoli* pv. *dieffenbachiae* A2/417  
*Xanthomonas phaseoli* pv. *phaseoli* A2/60  
*Xanthomonas translucens* pv. *translucens* A2/183  
*Xanthomonas vesicatoria* A2/157  
*Xylella fastidiosa* A2/166  
*Xylophilus ampelinus* A2/133

### **FUNGI**

*Ceratocystis platani* A2/136  
*Ciborinia camelliae* A2/190  
*Cronartium kantschaticum* A2/18  
*Cryphonectria parasitica* A2/69  
*Diaporthe vaccinii* A2/211  
*Fusarium circinatum* A2/306  
*Fusarium foetens* A2/345  
*Fusarium oxysporum* f.sp. *albedinis* A2/70  
*Fusarium oxysporum* f.sp. *cubense* Tropical race 4 A2/459  
*Geosmithia morbida* & *Pityophthorus juglandis* A2/388  
*Glomerella gossypii* A2/71  
*Gymnosporangium asiaticum* A2/13  
*Heterobasidion irregulare* A2/389

*Lecanosticta acicola* A2/22  
*Melampsora medusae* A2/74  
*Monilinia fructicola* A2/153  
*Neofusicoccum laricinum* A2/12  
*Phialophora cinerescens* A2/77  
*Phytophthora fragariae* & *Phytophthora rubi* A2/79  
*Phytophthora kernoviae* A2/375  
*Phytophthora lateralis* A2/337  
*Phytophthora ramorum* A2/376  
*Plenodomus tracheiphilus* A2/287  
*Puccinia hemerocallidis* A2/346  
*Puccinia horiana* A2/80  
*Stagonosporopsis chrysanthemi* A2/66  
*Stenocarpella macrospora* A2/67  
*Stenocarpella maydis* A2/68  
*Synchytrium endobioticum* A2/82  
*Pucciniastrum minimum* A2/402  
*Verticillium dahliae* & *Verticillium nonalfalfae* (hop-infecting strains) A2/85

### **VIRUSES AND VIRUS-LIKE ORGANISMS**

Beet leaf curl virus A2/90  
*Beet necrotic yellow vein virus* (*Benyvirus necrobetae*) A2/160  
*Blueberry scorch virus* (*Carlavirus vaccinii*) A2/347  
*Chrysanthemum stunt viroid* (*Pospiviroid*) A2/92  
*Citrus bark cracking viroid* (*Cocadviroid*) A2/403  
*Citrus tristeza virus* (*Closterovirus tristezae*) A2/93  
*Cucumber vein yellowing virus* (*Ipomovirus cucumisvenaflavi*) A2/316  
*Cucurbit yellow stunting disorder virus* (*Crinivirus cucurbitae*) A2/324  
*Impatiens necrotic spot virus* (*Orthotospovirus impatiensnecromaculae*) A2/291  
*Pepino mosaic virus* (*Potexvirus pepini*) A2/369  
*Plum pox virus* (*Potyvirus plumpoxi*) A2/96  
*Potato spindle tuber viroid* (*Pospiviroid*) A2/97  
*Raspberry ringspot virus* (*Nepovirus rubi*) A2/98  
*Satsuma dwarf virus* (*Sadwavirus citri*) A2/279  
*Squash leaf curl virus* (*Begomovirus cucurbitapeponis*) A2/224  
*Strawberry vein banding virus* (*Caulimovirus venafragariae*) A2/101  
*Tobacco ringspot virus* (*Nepovirus nicotiana*) A2/228  
*Tomato brown rugose fruit virus* (*Tobamovirus fructirugosum*) A2/438  
*Tomato chlorosis virus* (*Crinivirus tomatichlorosis*) A2/323  
*Tomato infectious chlorosis virus* (*Crinivirus contagichlorosis*) A2/348

*Tomato leaf curl New Delhi virus (Begomovirus solanumdelhiense) A2/446*  
*Tomato ringspot virus (Nepovirus lycopersici) A2/102*  
*Tomato spotted wilt virus (Orthotospovirus tomatomaculae) A2/290*  
*Tomato yellow leaf curl virus (Begomovirus coheni) and related viruses A2/182*

## INSECTS AND MITES

*Acrobasis pirivorella (=Numonia pyrivorella) A2/184*  
*Aculops fuchsiae A2/185*  
*Agrilus bilineatus A2/430*  
*Agrilus fleischeri A2/431*  
*Agrilus mali A2/456*  
*Agrilus planipennis A2/322*  
*Aleurocanthus spiniferus A2/186*  
*Anoplophora chinensis A2/187*  
*Anoplophora glabripennis A2/296*  
*Aromia bungii A2/380*  
*Bactrocera zonata A2/302*  
*Bemisia tabaci A2/178*  
*Aphis (Toxoptera) citricidus A2/45*  
*Cacoecimorpha pronubana A2/104*  
*Cacyreus marshalli A2/181*  
*Carposina sasakii A2/163*  
*Ceratitis capitata A2/105*  
*Comstockasis perniciosa (=Quadrastrioidotus perniciosus) A2/117*  
*Crisicoccus pini A2/453*  
*Dacus ciliatus A2/238*  
*Daktulosphaira vitifoliae A2/106*  
*Dendrolimus sibiricus A2/308*  
*Dendrolimus superans A2/330*  
*Diabrotica virgifera virgifera<sup>1</sup> A2/199*  
*Drosophila suzukii A2/363*  
*Dryocosmus kuriphilus A2/317*  
*Epitrix cucumeris A2/299*  
*Epitrix papa A2/360*  
*Eutetraphytes orientalis A2/288*  
*Euwallacea fornicatus sensu lato & Fusarium (Neocosmospora) euwallaceae A2/398*  
*Frankliniella occidentalis A2/177*  
*Garella (=Erschoviella) musculana A2/318*  
*Gonipterus scutellatus A2/38*  
*Grapholita (Cydia) inopinata A2/193*  
*Helicoverpa armigera A2/110*  
*Ips hauseri A2/326*  
*Ips subelongatus A2/325*  
*Lepidosaphes ussuriensis A2/319*  
*Leptinotarsa decemlineata A2/113*  
*Liriomyza huidobrensis A2/283*

*Liriomyza sativae A2/282*  
*Liriomyza trifolii A2/131*  
*Lopholeucaspis japonica A2/289*  
*Lymantria mathura A2/331*  
*Maconellicoccus hirsutus A2/314*  
*Malacosoma parallela A2/320*  
*Megaplatypus mutatus A2/344*  
*Opogona sacchari A2/154*  
*Paysandisia archon A2/338*  
*Platynota stultana A2/408*  
*Polygraphus proximus A2/382*  
*Popillia japonica A2/40*  
*Rhagoletis cingulata A2/239*  
*Rhynchophorus ferrugineus A2/339*  
*Scirtothrips citri A2/222*  
*Scirtothrips dorsalis A2/223*  
*Scolytus morawitzi A2/309*  
*Sirex ermak A2/327*  
*Spodoptera frugiperda A2/197*  
*Spodoptera littoralis A2/120*  
*Strobilomyia viaria A2/333*  
*Tecia solanivora A2/310*  
*Tetranychus evansi A2/349*  
*Tetropium gracilicorne A2/311*  
*Thaumatotibia leucotreta A2/377*  
*Toumeyella parvicornis A2/458*  
*Trichoferus campestris A2/343*  
*Trioza erytreae A2/46*  
*Trirachys sartus (=Aeolesthes sarta) A2/307*  
*Trogoderma granarium A2/121*  
*Tuta absoluta A2/321*  
*Xylotrechus altaicus A2/312*  
*Xylotrechus namanganensis A2/328*

## NEMATODES

*Aphelenchoides besseyi A2/122*  
*Bursaphelenchus xylophilus<sup>2</sup> A2/158*  
*Ditylenchus dipsaci A2/174*  
*Globodera pallida A2/124*  
*Globodera rostochiensis A2/125*  
*Heterodera glycines A2/167*  
*Meloidogyne chitwoodi A2/227*  
*Meloidogyne enterolobii A2/361*  
*Meloidogyne fallax A2/295*  
*Meloidogyne graminicola A2/455*  
*Meloidogyne luci A2/454*  
*Meloidogyne malii A2/409*  
*Radopholus similis (not attacking citrus) A2/126*  
*Xiphinema rivesi A2/262*

<sup>1</sup> *Diabrotica virgifera zeae* remains on the EPPO A1 List

<sup>2</sup> Its non-European vectors in the genus *Monochamus* remain on the EPPO A1 List.

**INVASIVE PLANTS**

*Ageratina adenophora* A2/452  
*Alternanthera philoxeroides* A2/393  
*Amaranthus palmeri* A2/436  
*Amaranthus tuberculatus* A2/437  
*Ambrosia confertiflora* A2/420  
*Ambrosia trifida* A2/432  
*Andropogon virginicus* A2/421  
*Baccharis halimifolia* A2/378  
*Cardiospermum grandiflorum* A2/410  
*Celastrus orbiculatus* A2/442  
*Crassula helmsii* A2/340  
*Ehrharta calycina* A2/423  
*Gymnocoronis spilanthoides* A2/411  
*Hakea decurrens* subsp. *physocarpa* A2/460  
*Hakea sericea* A2/424  
*Heracleum persicum* A2/354  
*Heracleum sosnowskyi* A2/355  
*Humulus scandens* A2/425  
*Hydrocotyle ranunculoides* A2/334  
*Ludwigia peploides* & *L. grandiflora* A2/364  
*Microstegium vimineum* A2/394  
*Myriophyllum heterophyllum* A2/395  
*Parthenium hysterophorus* A2/383  
*Pistia stratiotes* A2/412  
*Polygonum perfoliatum* A2/352  
*Pontederia* (=*Eichhornia crassipes*) A2/351  
*Neltuma juliflora* A2/428  
*Pueraria montana* var. *lobata* A2/341  
*Salvinia molesta* A2/413  
*Solanum carolinense* A2/447  
*Solanum elaeagnifolium* A2/342  
*Zizania latifolia* A2/461

**GASTROPODA**

*Pomacea maculata* A1/419

## EPPO A1 AND A2 PESTS IN ALPHABETICAL ORDER [WITH EPPO CODE]

*Acidovorax citrulli* A1/379 **PSDMAC**  
*Acleris gloverana* A1/281 **ACLRLG**  
*Acleris variana* A1/32 **ACLRVA**  
*Acrobasis pirivorella* A2/184 **NUMOPI**  
*Aculops fuchsiae* A2/185 **ACUPFU**  
*Ageratina adenophora* A2/452 **EUPAD**  
*Agrilus anxius* A1/362 **AGRAX**  
*Agrilus bilineatus* A2/430 **AGRLBL**  
*Agrilus fleischeri* A2/431 **AGRLFL**  
*Agrilus mali* A2/456 **AGRLMA**  
*Agrilus planipennis* A2/322 **AGRLPL**  
*Aleurocanthus spiniferus* A2/186 **ALECSN**  
*Aleurocanthus woglumi* A1/103 **ALECWO**  
*Alternanthera philoxeroides* A2/393 **ALRPH**  
*Alternaria mali* A1/277 **ALTEMA**  
*Amaranthus palmeri* A2/436 **AMAPA**  
*Amaranthus tuberculatus* A2/437 **AMATU**  
*Ambrosia confertiflora* A2/420 **FRSCO**  
*Ambrosia trifida* A2/432 **AMBTR**  
*American plum line pattern virus* (*Ilarvirus APLPV*)  
 A1/28 **APLPV0**  
*Anastrepha fraterculus* A1/229 **ANSTFR**  
*Anastrepha ludens* A1/230 **ANSTLU**  
*Anastrepha obliqua* A1/231 **ANSTOB**  
*Anastrepha suspensa* A1/200 **ANSTSU**  
*Andean potato latent virus* (*Tymovirus latandigenum*)  
 A1/244 **APLV00**  
*Andean potato mild mosaic virus* (*Tymovirus mosandigenum*) A1/384 **APMMV0**  
*Andean potato mottle virus* (*Comovirus andesense*)  
 A1/245 **APMOV0**  
*Andropogon virginicus* A2/421 **ANOVI**  
*Anisogramma anomala* A1/201 **CRSPAN**  
*Anoplophora chinensis* A2/187 **ANOLCN**  
*Anoplophora glabripennis* A2/296 **ANOLGL**  
*Anthonomus bisignifer* A1/189 **ANTHBI**  
*Anthonomus eugenii* A1/202 **ANTHEU**  
*Anthonomus grandis* A1/34 **ANTHGR**  
*Anthonomus signatus* A1/164 **ANTHSI**  
*Aphelenchoides besseyi* A2/122 **APLOBE**  
*Aphis (Toxoptera) citricidus* A2/45 **TOXOCI**  
*Apiosporina morbosa* A1/10 **DIBOMO**  
*Apriona cinerea* A1/373 **APRICI**  
*Apriona germari* A1/371 **APRIGE**  
*Apriona rugicollis* A1/372 **APRIJA**  
*Arceuthobium* spp. (non-European) A1/24 **1AREG**  
*Aromia bungii* A2/380 **AROMBU**  
*Atropellis pinicola* A1/5 **ATRPPC**  
*Atropellis piniphila* A1/280 **ATRPPP**  
*Baccharis halimifolia* A2/378 **BACHA**  
*Bactericera cockerelli* A1/366 **PARZCO**

*Bactrocera dorsalis* A1/233 **DACUDO**  
*Bactrocera latifrons* A1/404 **DACULA**  
*Bactrocera minax* A1/234 **DACUCT**  
*Bactrocera tryoni* A1/235 **DACUTR**  
*Bactrocera tsuneonis* A1/236 **DACUTS**  
*Bactrocera zonata* A2/302 **DACUZO**  
*Bean golden mosaic virus* (*Begomovirus costai*) A1/204  
**BGMV00**  
*Beet leaf curl virus* A2/90 **BLCV00**  
*Beet necrotic yellow vein virus* (*Benyvirus necrobetae*)  
 A2/160 **BNYVV0**  
*Bemisia tabaci* A2/178 **BEMITA**  
*Blueberry leaf mottle virus* (*Nepovirus myrtilli*) A1/198  
**BLMOV0**  
*Blueberry scorch virus* (*Carlavirus vaccinii*) A2/347  
**BLSCV0**  
*Bretziella fagacearum* and its vectors A1/6 **CERAFA**  
*Bursaphelenchus xylophilus* A2/158 **BURSXY**  
*Cacoecimorpha pronubana* A2/104 **TORTPR**  
*Cacyreus marshalli* A2/181 **CACYMA**  
*'Candidatus Liberibacter africanus'* A1/151 **LIBEAF**  
*'Candidatus Liberibacter asiaticus'* A1/151 **LIBEAS**  
*'Candidatus Liberibacter solanacearum'* (Solanaceae  
 haplotypes) A1/365 **LIBEPS**  
*'Candidatus Phytoplasma americanum'* A1/128  
**PHYPAE**  
*'Candidatus Phytoplasma mali'* A2/87 **PHYPMA**  
*'Candidatus Phytoplasma phoenicum'* A1/399  
**PHYPPH**  
*'Candidatus Phytoplasma pruni'* A1/140 **PHYPPN**  
*'Candidatus Phytoplasma pyri'* A2/95 **PHYPPY**  
*'Candidatus Phytoplasma solani'* A2/100 **PHYPSO**  
*'Candidatus Phytoplasma ulmi'* A1/26 **PHYPUL**  
*Cardiospermum grandiflorum* A2/410 **CRIGR**  
*Carposina sasakii* A2/163 **CARSSA**  
*Celastrus orbiculatus* A2/442 **CELOR**  
*Ceratitis capitata* A2/105 **CERTCA**  
*Ceratitis rosa* A1/237 **CERTRO**  
*Ceratocystis platani* A2/136 **CERAFP**  
*Ceratothripoides brunneus* A1/405 **CRTZBR**  
*Ceratothripoides claratris* A1/406 **CRTZCL**  
*Cherry rasp leaf virus* (*Cheravirus avii*) A1/127  
**CRLV00**  
*Chionaspis pinifoliae* A1/443 **PHECPI**  
*Chloridea virescens* A1/457 **HELIVI**  
*Choristoneura conflictana* A1/205 **ARCHCO**  
*Choristoneura fumiferana* A1/206 **CHONFU**  
*Choristoneura occidentalis occidentalis* A1/207  
**ARCHOC**  
*Choristoneura rosaceana* A1/208 **CHONRO**  
*Chrysanthemum stem necrosis virus* (*Orthotospovirus chrysanthinecrocaulis*) A1/313 **CSNV00**

<i>Chrysanthemum stunt viroid</i> A2/92 <b>CSVD00</b>	<i>Diabrotica virgifera zae</i> A1/199 <b>DIABVZ</b>
<i>Chrysobothris femorata</i> A1/439 <b>CHRBFE</b>	<i>Diaphorina citri</i> A1/37 <b>DIAACI</b>
<i>Chrysobothris mali</i> A1/440 <b>CHRBMA</b>	<i>Diaporthe vaccinii</i> A2/211 <b>DIAPVA</b>
<i>Chrysomyxa arctostaphyli</i> A1/8 <b>CHMYAR</b>	<i>Dickeya chrysanthemi</i> A2/53 <b>ERWICH</b>
<i>Ciborinia camelliae</i> A2/190 <b>SCLECA</b>	<i>Ditylenchus dipsaci</i> A2/174 <b>DITYDI</b>
<i>Citrus bark cracking viroid</i> A2/403 <b>CBCVD0</b>	<i>Drosophila suzukii</i> A2/363 <b>DROSSU</b>
<i>Citrus blight disease</i> A1/278 <b>CSB000</b>	<i>Dryocoetes confusus</i> A1/268 <b>DRYOCN</b>
<i>Citrus leprosis virus</i> A1/284 <b>CILV00</b>	<i>Dryocosmus kuriphilus</i> A2/317 <b>DRYCKU</b>
<i>Citrus tristeza virus (Closterovirus tristezae)</i> A2/93 <b>CTV000</b>	<i>Ehrharta calycina</i> A2/423 <b>EHRCA</b>
<i>Citrus yellow mosaic virus (Badnavirus tesselloicitri)</i> A1/285 <b>CMBV00</b>	<i>Epitrix cucumeris</i> A2/299 <b>EPIXCU</b>
<i>Clavibacter insidiosus</i> A2/49 <b>CORBIN</b>	<i>Epitrix papa</i> A2/360 <b>EPIXPP</b>
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> A2/50 <b>CORBMI</b>	<i>Epitrix subcrinita</i> A1/358 <b>EPIXSU</b>
<i>Clavibacter sepedonicus</i> A2/51 <b>CORBSE</b>	<i>Epitrix tuberis</i> A1/165 <b>EPIXTU</b>
<i>Coconut cadang-cadang viroid</i> A1/192 <b>CCCVD0</b>	<i>Erwinia amylovora</i> A2/52 <b>ERWIAM</b>
<i>Coconut lethal yellowing phytoplasma</i> A1/159 <b>PHYP56</b>	<i>Euphranta canadensis</i> A1/41 <b>EPOCCA</b>
<i>Comstockaspis perniciosa</i> A2/117 <b>QUADPE</b>	<i>Euphranta japonica</i> A1/41 <b>RHACJA</b>
<i>Coniferiporia weiri</i> A1/19 <b>INONWE</b>	<i>Eutetanychus orientalis</i> A2/288 <b>EUTEOR</b>
<i>Conotrachelus nenuphar</i> A1/35 <b>CONHNE</b>	<i>Euwallacea fornicatus sensu lato</i> A2/398 <b>XYLBFO</b>
<i>Cortaderia jubata</i> A1/422 <b>CDTJU</b>	<i>Exomala orientalis</i> A1/33 <b>ANMLOR</b>
<i>Crassula helmsii</i> A2/340 <b>CSBHE</b>	<i>Frankliniella occidentalis</i> A2/177 <b>FRANOC</b>
<i>Crisicoccus pini</i> A2/453 <b>DACLPI</b>	<i>Fusarium circinatum</i> A2/306 <b>GIBBCI</b>
<i>Cronartium coleosporioides</i> A1/248 <b>CRONCL</b>	<i>Fusarium (Neocosmospora) euwallaceae</i> A2/398 <b>FUSAEW</b>
<i>Cronartium comandrae</i> A1/249 <b>CRONCO</b>	<i>Fusarium foetens</i> A2/345 <b>FUSAFO</b>
<i>Cronartium comptoniae</i> A1/250 <b>CRONCP</b>	<i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> A2/70 <b>FUSAAL</b>
<i>Cronartium fusiforme</i> A1/9 <b>CRONFU</b>	<i>Fusarium oxysporum</i> f.sp. <i>cubense</i> Tropical race 4 A2/459 <b>FUSAC4</b>
<i>Cronartium himalayense</i> A1/251 <b>CRONHI</b>	<i>Garella musculana</i> A2/318 <b>ERSHMU</b>
<i>Cronartium kamtschaticum</i> A2/18 <b>CRONKA</b>	<i>Geosmithia morbida</i> A2/388 <b>GEOHMO</b>
<i>Cronartium quercuum</i> A1/252 <b>CRONQU</b>	<i>Globodera pallida</i> A2/124 <b>HETDPA</b>
<i>Cryphonectria parasitica</i> A2/69 <b>ENDOPA</b>	<i>Globodera rostochiensis</i> A2/125 <b>HETDRO</b>
<i>Cucumber vein yellowing virus (<i>Ipomovirus</i> <i>cucumisvenaflavi</i>)</i> A2/316 <b>CVYV00</b>	<i>Glomerella gossypii</i> A2/71 <b>GLOMGO</b>
<i>Cucurbit yellow stunting disorder virus (<i>Crinivirus</i> <i>cucurbitae</i>)</i> A2/324 <b>CYSDV0</b>	<i>Gnathotrichus sulcatus</i> A1/269 <b>GNAHSU</b>
<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> A2/48 <b>CORBFL</b>	<i>Gonipterus gibberus</i> A1/301 <b>GONPGI</b>
<i>Dacus ciliatus</i> A2/238 <b>DACUCI</b>	<i>Gonipterus scutellatus</i> A2/38 <b>GONPST</b>
<i>Daktulosphaira vitifoliae</i> A2/106 <b>VITEVI</b>	<i>Grapevine flavescence dorée</i> phytoplasma A2/94 <b>PHYP64</b>
<i>Dendroctonus adjunctus</i> A1/43 <b>DENCAD</b>	<i>Grapevine red blotch virus (<i>Grabovirus vitis</i>)</i> A1/445 <b>GRBAV0</b>
<i>Dendroctonus brevicomis</i> A1/263 <b>DENCBR</b>	<i>Grapholita inopinata</i> A2/193 <b>CYDIIN</b>
<i>Dendroctonus frontalis</i> A1/264 <b>DENCFR</b>	<i>Grapholita packardi</i> A1/209 <b>LASPPA</b>
<i>Dendroctonus ponderosae</i> A1/265 <b>DENCPO</b>	<i>Grapholita prunivora</i> A1/36 <b>LASPPR</b>
<i>Dendroctonus pseudotsugae</i> A1/266 <b>DENCPS</b>	<i>Grosmannia wageneri</i> A1/179 <b>LEPGWA</b>
<i>Dendroctonus rufipennis</i> A1/267 <b>DENCRU</b>	<i>Gymnandrosoma aurantianum</i> A1/433 <b>ECDYAU</b>
<i>Dendroctonus valens</i> A1/444 <b>DENCVA</b>	<i>Gymnocoronis spilanthoides</i> A2/411 <b>GYNSP</b>
<i>Dendrolimus sibiricus</i> A2/308 <b>DENDSI</b>	<i>Gymnosporangium asiaticum</i> A2/13 <b>GYMNAS</b>
<i>Dendrolimus superans</i> A2/330 <b>DENDSU</b>	<i>Gymnosporangium clavipes</i> A1/253 <b>GYMNCL</b>
<i>Diabrotica barberi</i> A1/210 <b>DIABLO</b>	<i>Gymnosporangium globosum</i> A1/254 <b>GYMNGL</b>
<i>Diabrotica speciosa</i> A1/303 <b>DIABSC</b>	<i>Gymnosporangium juniperi-virginianae</i> A1/255 <b>GYMNJV</b>
<i>Diabrotica undecimpunctata</i> A1/292 <b>DIABUN</b>	<i>Gymnosporangium yamadae</i> A1/257 <b>GYMNYA</b>
<i>Diabrotica virgifera virgifera</i> A2/199 <b>DIABVI</b>	<i>Hakea decurrens</i> subsp. <i>physocarpa</i> A2/460 <b>HKADF</b>
	<i>Hakea sericea</i> A2/424 <b>HKASE</b>

<i>Helicoverpa armigera</i> A2/110 <b>HELIAR</b>	<i>Meloidogyne chitwoodi</i> A2/227 <b>MELGCH</b>
<i>Helicoverpa zea</i> A1/195 <b>HELIZE</b>	<i>Meloidogyne enterolobii</i> A2/361 <b>MELGMY</b>
<i>Heracleum persicum</i> A2/354 <b>HERPE</b>	<i>Meloidogyne ethiopica</i> A1/448 <b>MELGET</b>
<i>Heracleum sosnowskyi</i> A2/355 <b>HERSO</b>	<i>Meloidogyne fallax</i> A2/295 <b>MELGFA</b>
<i>Heterobasidion irregulare</i> A2/389 <b>HETEIR</b>	<i>Meloidogyne graminicola</i> A2/455 <b>MELGGC</b>
<i>Heterodera glycines</i> A2/167 <b>HETDGL</b>	<i>Meloidogyne luci</i> A2/454 <b>MELGLC</b>
<i>Heteronychus arator</i> A1/297 <b>HETRAR</b>	<i>Meloidogyne mali</i> A2/409 <b>MELGMA</b>
<i>Homalodisca vitripennis</i> A1/336 <b>HOMLTR</b>	<i>Metamasius hemipterus</i> A1/356 <b>METAHE</b>
<i>Humulus scandens</i> A2/425 <b>HUMJA</b>	<i>Microstegium vimineum</i> A2/394 <b>MCGVI</b>
<i>Hydrocotyle ranunculoides</i> A2/334 <b>HYDRA</b>	<i>Monilinia fructicola</i> A2/153 <b>MONIFC</b>
<i>Impatiens necrotic spot virus (Orthotospovirus impatiensnecromaculae)</i> A2/291 <b>INSV00</b>	<i>Mycodiella laricis-leptolepidis</i> A1/16 <b>MYCOLL</b>
<i>Ips calligraphus</i> A1/270 <b>IPSXCA</b>	<i>Myriophyllum heterophyllum</i> A2/395 <b>MYPHE</b>
<i>Ips confusus</i> A1/271 <b>IPSXCO</b>	<i>Nacobbus aberrans</i> A1/144 <b>NACOBA</b>
<i>Ips grandicollis</i> A1/272 <b>IPSXGR</b>	<i>Naupactus leucoloma</i> A1/293 <b>GRAGLE</b>
<i>Ips hauseri</i> A2/326 <b>IPSXHA</b>	<i>Naupactus xanthographus</i> A1/434 <b>NAUPXA</b>
<i>Ips lecontei</i> A1/273 <b>IPSXLE</b>	<i>Neltuma juliflora</i> A2/428 <b>PRCJU</b>
<i>Ips pini</i> A1/274 <b>IPSXPI</b>	<i>Nemorimyza maculosa</i> A1/152 <b>AMAZMA</b>
<i>Ips plastographus</i> A1/275 <b>IPSXPL</b>	<i>Neocerambyx raddei</i> A1/414 <b>MALLRA</b>
<i>Ips subelongatus</i> A2/325 <b>IPSXFA</b>	<i>Neofusicoccum laricinum</i> A2/12 <b>GUIGLA</b>
<i>Keiferia lycopersicella</i> A1/367 <b>GNORLY</b>	<i>Neoleucinodes elegantalis</i> A1/381 <b>NEOLEL</b>
<i>Lecanosticta acicola</i> A2/22 <b>SCIRAC</b>	<i>Oemona hirta</i> A1/374 <b>OMEMOHI</b>
<i>Lepidosaphes ussuriensis</i> A2/319 <b>LEPSUS</b>	<i>Oligonychus perditus</i> A1/217 <b>OLIGPD</b>
<i>Leptinotarsa decemlineata</i> A2/113 <b>LPTNDE</b>	<i>Ophiognomonia clavigignenti-juglandacearum</i> A1/329 <b>SIROCJ</b>
<i>Lespedeza cuneata</i> A1/426 <b>LESCU</b>	<i>Opogona sacchari</i> A2/154 <b>OPOGSC</b>
<i>Lettuce infectious yellows virus (Crinivirus lactucae)</i> A1/212 <b>LIYV00</b>	<i>Orgyia leucostigma</i> A1/441 <b>HEMELE</b>
<i>Leucinodes africensis</i> A1/385 <b>LEUIAF</b>	<i>Orgyia pseudotsugata</i> A1/218 <b>ORGYP</b>
<i>Leucinodes orbonalis</i> A1/368 <b>LEUIOR</b>	<i>Pantoea stewartii</i> subsp. <i>stewartii</i> A2/54 <b>ERWIST</b>
<i>Leucinodes pseudorbonalis</i> A1/386 <b>LEUIPS</b>	<i>Paraburkholderia caryophylli</i> A2/55 <b>PSDMCA</b>
<i>Leucinodes rimavallis</i> A1/387 <b>LEUIRI</b>	<i>Parthenium hysterophorus</i> A2/383 <b>PTNHY</b>
<i>Limonius californicus</i> A1/304 <b>LIMOCF</b>	<i>Paysandisia archon</i> A2/338 <b>PAYSAR</b>
<i>Liriomyza huidobrensis</i> A2/283 <b>LIRIHU</b>	<i>Peach mosaic virus (Trichovirus persicae)</i> A1/27 <b>PCMV00</b>
<i>Liriomyza sativae</i> A2/282 <b>LIRISA</b>	<i>Peach rosette mosaic virus (Nepovirus persicae)</i> A1/219 <b>PRMV00</b>
<i>Liriomyza trifolii</i> A2/131 <b>LIRITR</b>	<i>Peach rosette phytoplasma</i> A1/138 <b>PHYP30</b>
<i>Listronotus bonariensis</i> A1/168 <b>HYROBO</b>	<i>Peach yellows phytoplasma</i> A1/139 <b>PHYP29</b>
<i>Lopholeucaspis japonica</i> A2/289 <b>LOPLJA</b>	<i>Pepino mosaic virus (Potexvirus pepini)</i> A2/369 <b>PEPMV0</b>
<i>Ludwigia grandiflora</i> A2/364 <b>LUDUR</b>	<i>Phialophora cinerescens</i> A2/77 <b>PHIACI</b>
<i>Ludwigia peploides</i> A2/364 <b>LUDPE</b>	<i>Phyllocoptes fructiphilus</i> A1/416 <b>PHYCFR</b>
<i>Lycorma delicatula</i> A1/396 <b>LYCMDE</b>	<i>Phyllosticta citricarpa</i> A1/194 <b>GUIGCI</b>
<i>Lygodium japonicum</i> A1/427 <b>LYFJA</b>	<i>Phyllosticta solitaria</i> A1/20 <b>PHYSSL</b>
<i>Lymantria mathura</i> A2/331 <b>LYMAMA</b>	<i>Phymatotrichopsis omnivora</i> A1/21 <b>PHMPOM</b>
<i>Maconellicoccus hirsutus</i> A2/314 <b>PHENHI</b>	<i>Phytophthora fragariae</i> A2/79 <b>PHYTFR</b>
<i>Malacosoma americanum</i> A1/276 <b>MALAAM</b>	<i>Phytophthora kernoviae</i> A2/375 <b>PHYTKE</b>
<i>Malacosoma disstria</i> A1/213 <b>MALADI</b>	<i>Phytophthora lateralis</i> A2/337 <b>PHYTLA</b>
<i>Malacosoma parallela</i> A2/320 <b>MALAPA</b>	<i>Phytophthora ramorum</i> A2/376 <b>PHYTRA</b>
<i>Margarodes prieskaensis</i> A1/214 <b>MARGPR</b>	<i>Phytophthora rubi</i> A2/79 <b>PHYTFU</b>
<i>Margarodes vitis</i> A1/215 <b>MARGVI</b>	<i>Pissodes nemorensis</i> A1/44 <b>PISONE</b>
<i>Margarodes vredendalensis</i> A1/216 <b>MARGVR</b>	<i>Pissodes strobi</i> A1/258 <b>PISOST</b>
<i>Megaplatypus mutatus</i> A2/344 <b>PLTPMU</b>	<i>Pissodes terminalis</i> A1/259 <b>PISOTE</b>
<i>Melampsora farlowii</i> A1/15 <b>MELMFA</b>	<i>Pistia stratiotes</i> A2/412 <b>PIHST</b>
<i>Melampsora medusae</i> A2/74 <b>MELMME</b>	
<i>Melanotus communis</i> A1/305 <b>MELNCO</b>	

<i>Pityophthora juglandis</i> A2/388 <b>PITOJU</b>	<i>Satsuma dwarf virus (Sadwavirus citri)</i> A2/279 <b>SDV000</b>
<i>Platynota stultana</i> A2/408 <b>PLAAST</b>	<i>Scirtothrips aurantii</i> A1/221 <b>SCITAU</b>
<i>Plenodomus tracheiphilus</i> A2/287 <b>DEUTTR</b>	<i>Scirtothrips citri</i> A2/222 <b>SCITCI</b>
<i>Plum pox virus (Potyvirus plumpoxi)</i> A2/96 <b>PPV000</b>	<i>Scirtothrips dorsalis</i> A2/223 <b>SCITDO</b>
<i>Polygonum perfoliatum</i> A2/352 <b>POLPF</b>	<i>Scolytus moravitzii</i> A2/309 <b>SCOLMO</b>
<i>Polygraphus proximus</i> A2/382 <b>POLGPR</b>	<i>Septoria malagutii</i> A1/142 <b>SEPTLM</b>
<i>Pomacea canaliculata</i> A1/418 <b>POMACA</b>	<i>Sirex ermak</i> A2/327 <b>SIRXER</b>
<i>Pomacea maculata</i> A2/419 <b>POMAIN</b>	<i>Solanum carolinense</i> A2/447 <b>SOLCA</b>
<i>Pontederia crassipes</i> A2/351 <b>EICCR</b>	<i>Solanum elaeagnifolium</i> A2/342 <b>SOLEL</b>
<i>Popillia japonica</i> A2/40 <b>POPIJA</b>	<i>Sphaerulina musiva</i> A1/17 <b>MYCOPP</b>
<i>Potato black ringspot virus (Nepovirus solani)</i> A1/246 <b>PBRSV0</b>	<i>Spodoptera eridania</i> A1/196 <b>PRODER</b>
<i>Potato spindle tuber viroid</i> A2/97 <b>PSTVD0</b>	<i>Spodoptera frugiperda</i> A2/197 <b>LAPHFR</b>
<i>Potato virus T (Tepovirus tafsolani)</i> A1/247 <b>PVT000</b>	<i>Spodoptera littoralis</i> A2/120 <b>SPODLI</b>
<i>Potato yellow dwarf virus (Alphanucleorhabdovirus tuberosum)</i> A1/29 <b>PYDV00</b>	<i>Spodoptera litura</i> A1/42 <b>PRODLI</b>
<i>Potato yellow vein virus (Crinivirus flavisolani)</i> A1/30 <b>PYVV00</b>	<i>Spodoptera ornithogalli</i> A1/449 <b>PRODOR</b>
<i>Potato yellowing virus</i> A1/220 <b>PYV000</b>	<i>Spodoptera praefica</i> A1/450 <b>PRODPR</b>
<i>Premnotypes latithorax</i> A1/143 <b>PREMLA</b>	<i>Squash leaf curl virus (Begomovirus cucurbitapeponis)</i> A2/224 <b>SLCV00</b>
<i>Premnotypes suturicallus</i> A1/143 <b>PREMSU</b>	<i>Stagonosporopsis andigena</i> A1/141 <b>PHOMAN</b>
<i>Premnotypes vorax</i> A1/143 <b>PREMVO</b>	<i>Stagonosporopsis chrysanthemi</i> A2/66 <b>MYCOLG</b>
<i>Prodiplosis longifila</i> A1/407 <b>PRDILO</b>	<i>Stagonosporopsis crystalliniformis</i> A1/435 <b>STGSCR</b>
<i>Pseudocercospora angolensis</i> A1/298 <b>CERCAN</b>	<i>Stegophora ulmea</i> A1/315 <b>GNOMUL</b>
<i>Pseudocercospora pini-densiflorae</i> A1/7 <b>CERSPD</b>	<i>Stenocarpella macrospora</i> A2/67 <b>DIPDMC</b>
<i>Pseudomonas syringae</i> pv. <i>actinidiae</i> A2/370 <b>PSDMAK</b>	<i>Stenocarpella maydis</i> A2/68 <b>DIPDMA</b>
<i>Pseudomonas syringae</i> pv. <i>persicae</i> A2/145 <b>PSDMPE</b>	<i>Sternochetus mangiferae</i> A1/286 <b>CRYPMA</b>
<i>Puccinia hemerocallidis</i> A2/346 <b>PUCCHM</b>	<i>Strawberry latent C virus</i> A1/129 <b>STLCV0</b>
<i>Puccinia horiana</i> A2/80 <b>PUCCHN</b>	<i>Strawberry vein banding virus (Caulimovirus venafragariae)</i> A2/101 <b>SVBV00</b>
<i>Puccinia pittieriana</i> A1/155 <b>PUCCPT</b>	<i>Strobilomyia viaria</i> A2/333 <b>STRMVI</b>
<i>Pucciniastrum minimum</i> A2/402 <b>THEKMI</b>	<i>Synchytrium endobioticum</i> A2/82 <b>SYNCEN</b>
<i>Pueraria montana</i> var. <i>lobata</i> A2/341 <b>PUELO</b>	<i>Tecia solanivora</i> A2/310 <b>TECASO</b>
<i>Radopholus similis</i> (attacking citrus, formerly <i>R. citrophilus</i> ) A1/161 <b>RADOSI</b>	<i>Tetranychus evansi</i> A2/349 <b>TETREV</b>
<i>Radopholus similis</i> (not attacking citrus) A2/126 <b>RADOSI</b>	<i>Tetranychus mexicanus</i> A1/451 <b>TETRME</b>
<i>Ralstonia pseudosolanacearum</i> A2/401 <b>RALSPS</b>	<i>Tetropium gracilicorne</i> A2/311 <b>TETOGR</b>
<i>Ralstonia solanacearum</i> A2/58 <b>RALSSL</b>	<i>Thaumatomibia leucotreta</i> A2/377 <b>ARGPLE</b>
<i>Ralstonia syzygii</i> A1/400 <b>RALSSY</b>	<i>Thecaphora solani</i> A1/4 <b>THPHSO</b>
<i>Raspberry leaf curl virus</i> A1/31 <b>RLCV00</b>	<i>Thrips palmi</i> A1/175 <b>THRIPL</b>
<i>Raspberry ringspot virus (Nepovirus rubi)</i> A2/98 <b>RPRSV0</b>	<i>Tilletia indica</i> A1/23 <b>NEOVIN</b>
<i>Rhagoletis cingulata</i> A2/239 <b>RHAGCI</b>	<i>Tobacco ringspot virus (Nepovirus nicotianae)</i> A2/228 <b>TRSV00</b>
<i>Rhagoletis fausta</i> A1/241 <b>RHAGFA</b>	<i>Tomato brown rugose fruit virus (Tobamovirus fructirugosum)</i> A2/438 <b>TOBRFV</b>
<i>Rhagoletis indifferens</i> A1/242 <b>RHAGIN</b>	<i>Tomato chlorosis virus (Crinivirus tomatichlorosis)</i> A2/323 <b>TOCV00</b>
<i>Rhagoletis mendax</i> A1/243 <b>RHAGME</b>	<i>Tomato infectious chlorosis virus (Crinivirus contagichlorosis)</i> A2/348 <b>TICV00</b>
<i>Rhagoletis pomonella</i> A1/41 <b>RHAGPO</b>	<i>Tomato leaf curl New Delhi virus (Begomovirus solanumdelhiense)</i> A2/446 <b>TOLCND</b>
<i>Rhynchosphorus ferrugineus</i> A2/339 <b>RHYCFE</b>	<i>Tomato mottle virus (Begomovirus solanumvariati)</i> [and other American Geminiviridae of capsicum and tomato] A1/225 <b>TOMOV0</b>
<i>Rhynchosphorus palmarum</i> A1/332 <b>RHYCPA</b>	<i>Tomato ringspot virus (Nepovirus lycopersici)</i> A2/102 <b>TORSV0</b>
<i>Ripersiella hibisci</i> A1/300 <b>RHIOHI</b>	
<i>Rose rosette emaravirus (Emaravirus rosae)</i> A1/415 <b>RRV000</b>	
<i>Salvinia molesta</i> A2/413 <b>SAVMO</b>	
<i>Saperda candida</i> A1/359 <b>SAPECN</b>	

*Tomato spotted wilt virus (Orthotospovirus tomatomaculae)* A2/290 **TSWV00**  
*Tomato yellow leaf curl virus (Begomovirus coheni) [and related viruses]* A2/182 **TYLCV0**  
*Toumeyella parvicornis* A2/458 **TOUMPA**  
*Triadica sebifera* A1/429 **SAQSE**  
*Trichosferus campestris* A2/343 **HESOCA**  
*Trioza erytreae* A2/46 **TRIZER**  
*Trirachys sartus* A2/307 **AELSSA**  
*Trogoderma granarium* A2/121 **TROGGA**  
*Tuta absoluta* A2/321 **GNORAB**  
*Unaspis citri* A1/226 **UNASCI**  
*Verticillium dahliae* (hop-infecting strains) A2/85  
    **VERTDA**  
*Verticillium nonalfalfae* (hop-infecting strains) A2/85  
    **VERTNO**  
*Watermelon silver mottle virus (Orthotospovirus citrullomaculosi)* A1/294 **WMSMOV**  
*Xanthomonas arboricola* pv. *corylina* A2/134 **XANTCY**  
*Xanthomonas arboricola* pv. *pruni* A2/62 **XANTPR**  
*Xanthomonas axonopodis* pv. *poinsettiicola* A2/350  
    **XANTPN**  
*Xanthomonas citri* pv. *fuscans* A2/61 **XANTFF**  
*Xanthomonas citri* subsp. *aurantifoli* A1/397 **XANTAU**  
*Xanthomonas citri* subsp. *citri* A1/1 **XANTCI**  
*Xanthomonas cynarae* pv. *gardneri* A2/391 **XANTGA**  
*Xanthomonas euvesicatoria* pv. *allii* A1/353 **XANTAA**  
*Xanthomonas euvesicatoria* pv. *euvesicatoria* A2/390  
    **XANTEU**  
*Xanthomonas euvesicatoria* pv. *perforans* A2/392  
    **XANTPF**  
*Xanthomonas fragariae* A2/135 **XANTFR**  
*Xanthomonas oryzae* pv. *oryzae* A1/2 **XANTOR**  
*Xanthomonas oryzae* pv. *oryzicola* A1/3 **XANTTO**  
*Xanthomonas phaseoli* pv. *dieffenbachiae* A2/417  
    **XANTPD**  
*Xanthomonas phaseoli* pv. *phaseoli* A2/60 **XANTPH**  
*Xanthomonas translucens* pv. *translucens* A2/183  
    **XANTTR**  
*Xanthomonas vesicatoria* A2/157 **XANTVE**  
*Xiphinema americanum sensu stricto* A1/150 **XIPHAA**  
*Xiphinema bricolense* A1/260 **XIPHBC**  
*Xiphinema californicum* A1/261 **XIPHCA**  
*Xiphinema rivesi* A2/262 **XIPHRI**  
*Xylella fastidiosa* A2/166 **XYLEFA**  
*Xylophilus ampelinus* A2/133 **XANTAM**  
*Xylotrechus altaicus* A2/312 **XYLOAL**  
*Xylotrechus namanganensis* A2/328 **XYLONM**  
*Zeugodacus cucumis* A1/203 **DACUCM**  
*Zeugodacus cucurbitae* A1/232 **DACUCU**  
*Zizania latifolia* A2/461 **ZIZLA**

## EPPO A1 AND A2 PESTS IN NUMERICAL ORDER

- |    |  |    |  |
|----|--|----|--|
| 1  | <i>Xanthomonas citri</i> subsp. <i>citri</i>   | 43 | <i>Dendroctonus adjunctus</i>  |
| 2  | <i>Xanthomonas oryzae</i> pv. <i>oryzae</i>  | 44 | <i>Pissodes nemorensis</i>   |
| 3  | <i>Xanthomonas oryzae</i> pv. <i>oryzicola</i>   | 45 | <i>Aphis (Toxoptera) citricidus</i>  |
| 4  | <i>Thecaphora solani</i>   | 46 | <i>Trioza erytreae</i>   |
| 5  | <i>Atropellis pinicola</i>   | 47 | formerly <i>Xanthomonas populi</i>   |
| 6  | <i>Bretziella fagacearum</i> and its vectors   | 48 | <i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i>                                   |
| 7  | <i>Pseudocercospora pini-densiflorae</i>   | 49 | <i>Clavibacter insidiosus</i>  |
| 8  | <i>Chrysomyxa arctostaphyli</i>  | 50 | <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i>                                     |
| 9  | <i>Cronartium fusiforme</i>  | 51 | <i>Clavibacter sepedonicus</i>   |
| 10 | <i>Apiosporina morbosa</i>   | 52 | <i>Erwinia amylovora</i>   |
| 11 | <i>Cronartium harknessii</i> (synonym of <i>C. quercuum</i> )                            | 53 | <i>Dickeya dianthicola</i> ( <i>Erwinia chrysanthemi</i> pv. <i>dianthicola</i> )                |
| 12 | <i>Neofusicoccum laricinum</i>   | 54 | <i>Pantoea stewartii</i> subsp. <i>stewartii</i>   |
| 13 | <i>Gymnosporangium asiaticum</i>   | 55 | <i>Paraburkholderia caryophylli</i>  |
| 14 | formerly <i>Hamaspora longissima</i>   | 56 | formerly <i>Pseudomonas syringae</i> pv. <i>glycinea</i>   |
| 15 | <i>Melampsora farlowii</i>   | 57 | formerly <i>Pseudomonas syringae</i> pv. <i>pisi</i>   |
| 16 | <i>Mycodiella</i> (= <i>Mycosphaerella</i> ) <i>laricis-leptolepidis</i>                 | 58 | <i>Ralstonia solanacearum</i>  |
| 17 | <i>Sphaerulina musiva</i> ( <i>Davidiella populorum</i> )                                | 59 | formerly <i>Xanthomonas campestris</i> pv. <i>hyacinthi</i>                                      |
| 18 | <i>Cronartium kantschaticum</i>  | 60 | <i>Xanthomonas phaseoli</i> pv. <i>phaseoli</i>  |
| 19 | <i>Coniferiporia</i> ( <i>Phellinus</i> ) <i>weiri</i>                                   | 61 | <i>Xanthomonas citri</i> pv. <i>fuscans</i> (= <i>Xanthomonas phaseoli</i> var. <i>fuscans</i> ) |
| 20 | <i>Phyllosticta solitaria</i>  | 62 | <i>Xanthomonas arboricola</i> pv. <i>pruni</i>   |
| 21 | <i>Phytopatrichopsis omnivora</i>  | 63 | formerly <i>Ophiostoma ulmi</i>  |
| 22 | <i>Lecanosticta acicola</i>  | 64 | formerly <i>Cochliobolus carbonum</i>  |
| 23 | <i>Tilletia indica</i>   | 65 | formerly <i>Cochliobolus heterostrophus</i>  |
| 24 | <i>Arceuthobium</i> spp. (non-European)  | 66 | <i>Stagonosporopsis chrysanthemi</i>   |
| 25 | formerly Blackberry dwarf  | 67 | <i>Stenocarpella macrospora</i>  |
| 26 | ' <i>Candidatus Phytoplasma ulmi</i> ' (Elm phloem necrosis)                             | 68 | <i>Stenocarpella maydis</i>  |
| 27 | Peach American mosaic virus*   | 69 | <i>Cryphonectria parasitica</i>  |
| 28 | <i>American plum line pattern virus</i> ( <i>Ilarvirus APLV</i> )                        | 70 | <i>Fusarium oxysporum</i> f.sp. <i>albedinis</i>   |
| 29 | <i>Potato yellow dwarf virus</i><br>( <i>Alphanucleorhabdovirus tuberosum</i> )          | 71 | <i>Glomerella gossypii</i>   |
| 30 | Potato yellow vein virus ( <i>Crinivirus flavisolani</i> )                               | 72 | formerly <i>Hypoxyylon mammatum</i>  |
| 31 | Raspberry leaf curl virus ( <i>Nepovirus</i> )   | 73 | formerly <i>Phaeoisariopsis griseola</i>   |
| 32 | <i>Acleris variana</i>   | 74 | <i>Melampsora medusae</i>  |
| 33 | <i>Exomala orientalis</i>  | 75 | formerly <i>Mycosphaerella linicola</i>  |
| 34 | <i>Anthonomus grandis</i>  | 76 | formerly <i>Ophiostoma roboris</i>   |
| 35 | <i>Conotrachelus nenuphar</i>  | 77 | <i>Phialophora cinerescens</i>   |
| 36 | <i>Grapholita</i> ( <i>Cydia</i> ) <i>prunivora</i>                                      | 78 | formerly <i>Phoma exigua</i> var. <i>foveata</i>   |
| 37 | <i>Diaphorina citri</i>  | 79 | <i>Phytophthora fragariae</i> & <i>Phytophthora rubi</i>   |
| 38 | <i>Gonipterus scutellatus</i>  | 80 | <i>Puccinia horiana</i>  |
| 39 | formerly <i>Hylurgopinus rufipes</i>   | 81 | formerly <i>Puccinia pelargonii-zonalis</i>  |
| 40 | <i>Popillia japonica</i>   | 82 | <i>Synchytrium endobioticum</i>  |
| 41 | <i>Rhagoletis pomonella</i> , <i>Euphranta canadensis</i> ,<br><i>Euphranta japonica</i> | 83 | formerly <i>Tilletia controversa</i>   |
| 42 | <i>Spodoptera litura</i>   | 84 | formerly <i>Uromyces transversalis</i>   |
|    |  | 85 | <i>Verticillium nonalfalfae</i> & <i>V. dahliae</i> (hop-infecting strains)                      |
|    |  | 86 | formerly Apple chat fruit  |
|    |  | 87 | ' <i>Candidatus Phytoplasma mali</i> ' (Apple proliferation)                                     |
|    |  | 88 | formerly Barley stripe mosaic hordeivirus  |
|    |  | 89 | formerly Beet curly top virus  |

\* *Peach mosaic virus* (*Trichovirus persicae*) was referred to for some years as peach latent mosaic viroid. The two names have now been shown to concern different organisms. Peach latent mosaic viroid no longer appears in the lists.

- 90 Beet leaf curl virus  
 91 formerly Cherry necrotic rusty mottle disease  
 92 *Chrysanthemum stunt viroid* (*Pospiviroid*)  
 93 *Citrus tristeza virus* (*Closterovirus tristezae*)  
 94 Grapevine flavescence dorée phytoplasma  
 95 'Candidatus Phytoplasma pyri' (Pear decline)  
 96 *Plum pox virus* (*Potyvirus plumpoxi*)  
 97 *Potato spindle tuber viroid* (*Pospiviroid*)  
 98 *Raspberry ringspot virus* (*Nepovirus rubi*)  
 99 formerly Rose wilt  
 100 'Candidatus Phytoplasma solani' (Stolbur)  
 101 *Strawberry vein banding virus* (*Caulimovirus venafragariae*)  
 102 *Tomato ringspot virus* (*Nepovirus lycopersici*)  
 103 *Aleurocanthus woglumi*  
 104 *Cacoecimorpha pronubana*  
 105 *Ceratitis capitata*  
 106 *Daktulosphaira vitifoliae*  
 107 formerly *Rhopalomyia chrysanthemi*  
 108 formerly *Epichoristodes acerbella*  
 109 formerly *Eriosoma lanigerum*  
 110 *Helicoverpa armigera*  
 111 formerly *Hyphantria cunea*  
 112 formerly *Ips amitinus*  
 113 *Leptinotarsa decemlineata*  
 114 formerly *Phoracantha semipunctata*  
 115 formerly *Phthorimaea operculella*  
 116 formerly *Pseudococcus comstocki*  
 117 *Comstockaspis perniciosa* (= *Quadrastrioides perniciosus*)  
 118 formerly *Scolytus multistriatus*  
 119 formerly *Scolytus scolytus*  
 120 *Spodoptera littoralis*  
 121 *Trogoderma granarium*  
 122 *Aphelenchoides besseyi*  
 123 formerly *Ditylenchus destructor*  
 124 *Globodera pallida*  
 125 *Globodera rostochiensis*  
 126 *Radopholus similis* (not attacking citrus)  
 127 *Cherry rasp leaf virus* (*Cheravirus avii*)  
 128 'Candidatus Phytoplasma americanum' (Potato purple-top wilt)  
 129 Strawberry latent C virus  
 130 formerly Strawberry witches' broom phytoplasma  
 131 *Liriomyza trifolii*  
 132 formerly *Agrobacterium rhizogenes*  
 133 *Xylophilus ampelinus*  
 134 *Xanthomonas arboricola* pv. *corylina*  
 135 *Xanthomonas fragariae*  
 136 *Ceratocystis platani*  
 137 formerly peach phony bacterium, now = no. 166  
 138 Peach rosette phytoplasma  
 139 Peach yellows phytoplasma  
 140 'Candidatus Phytoplasma pruni' (Western X-disease)  
 141 *Stagonosporopsis andigena*  
 142 *Septoria malagutii*  
 143 *Premnotrypes latithorax*, *P. suturicallus* & *P vorax*  
 144 *Nacobbus aberrans*  
 145 *Pseudomonas syringae* pv. *persicae*  
 146 formerly Apricot chlorotic leafroll phytoplasma  
 147 formerly *Black raspberry latent ilarvirus*  
 148 formerly *Cherry leaf roll nepovirus* (in *Rubus*)  
 149 formerly *Apple mosaic ilarvirus* (in *Rubus*)  
 150 *Xiphinema americanum* sensu stricto  
 151 'Candidatus Liberibacter africanus' & 'Ca. L. asiaticus'  
 152 *Nemorimyza maculosa*  
 153 *Monilinia fructicola*  
 154 *Opogona sacchari*  
 155 *Puccinia pittieriana*  
 156 formerly *Phytophthora infestans* mating type A2  
 157 *Xanthomonas vesicatoria*  
 158 *Bursaphelenchus xylophilus*  
 159 Coconut lethal yellowing phytoplasma (Palm lethal yellowing)  
 160 *Beet necrotic yellow vein virus* (*Benyvirus necrobetae*)  
 161 *Radopholus similis* (attacking citrus, formerly *R. citrophilus*)  
 162 formerly *Parabemisia myricae*  
 163 *Carposina sasakii*  
 164 *Anthonomus signatus*  
 165 *Epitrix tuberis*  
 166 *Xylella fastidiosa*  
 167 *Heterodera glycines*  
 168 *Listronotus bonariensis*  
 169 formerly *Phialophora gregata*  
 170 formerly *Phytophthora megasperma* f.sp. *glycines*  
 171 formerly *Diaporthe phaseolorum*  
 172 formerly *Anarsia lineatella*  
 173 formerly *Grapholita molesta*  
 174 *Ditylenchus dipsaci*  
 175 *Thrips palmi*  
 176 formerly *Unaspis yanonensis*  
 177 *Frankliniella occidentalis*  
 178 *Bemisia tabaci*  
 179 *Grosmannia wageneri*  
 180 formerly *Xanthomonas axonopodis* pv. *dieffenbachiae* (deleted and replaced by *X. phaseoli* pv. *dieffenbachiae*)  
 181 *Cacyreus marshalli*  
 182 *Tomato yellow leaf curl virus* (*Begomovirus coheni*) and related viruses  
 183 *Xanthomonas translucens* pv. *translucens*  
 184 *Acrobasis pirivorella* (= *Numonia pyrivorella*)  
 185 *Aculops fuchsiae*

- 186 *Aleurocanthus spiniferus*  
 187 *Anoplophora chinensis*  
 188 *Anoplophora malasiaca* (now considered as a synonym of *A. chinensis*)  
 189 *Anthonomus bisignifer*  
 190 *Ciborinia camelliae*  
 191 formerly Citrus tatter leaf virus (*Capillovirus*)  
 192 *Coconut cadang-cadang viroid* (*Cocadviroid*)  
 193 *Grapholita (Cydia) inopinata*  
 194 *Phyllosticta citricarpa*  
 195 *Helicoverpa zea*  
 196 *Spodoptera eridania*  
 197 *Spodoptera frugiperda*  
 198 *Blueberry leaf mottle virus* (*Nepovirus myrtilli*)  
 199 *Diabrotica virgifera virgifera* & *Diabrotica virgifera zeae*  
 200 *Anastrepha suspensa*  
 201 *Anisogramma anomala*  
 202 *Anthonomus eugenii*  
 203 *Zeugodacus (Bactrocera) cucumis*  
 204 *Bean golden mosaic virus* (*Begomovirus costai*)  
 205 *Choristoneura conflictana*  
 206 *Choristoneura fumiferana*  
 207 *Choristoneura occidentalis occidentalis*  
 208 *Choristoneura rosaceana*  
 209 *Grapholita (Cydia) packardi*  
 210 *Diabrotica barberi*  
 211 *Diaporthe vaccinii*  
 212 *Lettuce infectious yellows virus* (*Crinivirus lactucaflavi*)  
 213 *Malacosoma disstria*  
 214 *Margarodes prieskaensis*  
 215 *Margarodes vitis*  
 216 *Margarodes vredendalensis*  
 217 *Oligonychus perditus*  
 218 *Orgyia pseudotsugata*  
 219 *Peach rosette mosaic virus* (*Nepovirus persicae*)  
 220 Potato yellowing virus  
 221 *Scirtothrips aurantii*  
 222 *Scirtothrips citri*  
 223 *Scirtothrips dorsalis*  
 224 *Squash leaf curl virus* (*Begomovirus cucurbitapeponis*)  
 225 *Tomato mottle virus* (*Begomovirus solanumvariati*) (and other American Geminiviridae of capsicum and tomato)  
 226 *Unaspis citri*  
 227 *Meloidogyne chitwoodi*  
 228 *Tobacco ringspot virus* (*Nepovirus nicotianae*)  
 229 *Anastrepha fraterculus*  
 230 *Anastrepha ludens*  
 231 *Anastrepha obliqua*  
 232 *Zeugodacus (Bactrocera) cucurbitae*  
 233 *Bactrocera dorsalis*  
 234 *Bactrocera minax*  
 235 *Bactrocera tryoni*  
 236 *Bactrocera tsuneonis*  
 237 *Ceratitis rosa*  
 238 *Dacus ciliatus*  
 239 *Rhagoletis cingulata*  
 240 formerly *Rhagoletis completa*  
 241 *Rhagoletis fausta*  
 242 *Rhagoletis indifferens*  
 243 *Rhagoletis mendax*  
 244 *Andean potato latent virus* (*Tymovirus latandidigenum*)  
 245 *Andean potato mottle virus* (*Comovirus andesense*)  
 246 *Potato black ringspot virus* (*Nepovirus solani*)  
 247 *Potato virus T* (*Tepovirus tafsolani*)  
 248 *Cronartium coleosporioides*  
 249 *Cronartium comandrae*  
 250 *Cronartium comptoniae*  
 251 *Cronartium himalayense*  
 252 *Cronartium quercuum*  
 253 *Gymnosporangium clavipes*  
 254 *Gymnosporangium globosum*  
 255 *Gymnosporangium juniperi-virginianae*  
 256 formerly *Gymnosporangium shiraianum*  
 257 *Gymnosporangium yamadae*  
 258 *Pissodes strobi*  
 259 *Pissodes terminalis*  
 260 *Xiphinema bricolense*  
 261 *Xiphinema californicum*  
 262 *Xiphinema rivesi*  
 263 *Dendroctonus brevicomis*  
 264 *Dendroctonus frontalis*  
 265 *Dendroctonus ponderosae*  
 266 *Dendroctonus pseudotsugae*  
 267 *Dendroctonus rufipennis*  
 268 *Dryocoetes confusus*  
 269 *Gnathotrichus sulcatus*  
 270 *Ips calligraphus*  
 271 *Ips confusus*  
 272 *Ips grandicollis*  
 273 *Ips lecontei*  
 274 *Ips pini*  
 275 *Ips plastographus*  
 276 *Malacosoma americanum*  
 277 *Alternaria mali*  
 278 Citrus blight disease  
 279 *Satsuma dwarf virus* (*Sadwavirus citri*)  
 280 *Atropellis piniphila*  
 281 *Acleris gloverana*  
 282 *Liriomyza sativae*  
 283 *Liriomyza huidobrensis*  
 284 Citrus leprosis virus

- 285 *Citrus yellow mosaic virus* (*Badnavirus tessellocitri*)
- 286 *Sternochetus mangiferae*
- 287 *Plenodomus tracheiphilus*
- 288 *Eutetranychus orientalis*
- 289 *Lopholeucaspis japonica*
- 290 *Tomato spotted wilt virus* (*Orthotospovirus tomatomaculae*)
- 291 *Impatiens necrotic spot virus* (*Orthotospovirus impatiensnecromaculae*)
- 292 *Diabrotica undecimpunctata*
- 293 *Naupactus leucoloma*
- 294 *Watermelon silver mottle virus* (*Orthotospovirus citrullomaculosi*)
- 295 *Meloidogyne fallax*
- 296 *Anoplophora glabripennis*
- 297 *Heteronychus arator*
- 298 *Pseudocercospora angolensis*
- 299 *Epitrix cucumeris*
- 300 *Ripersiella hibisci*
- 301 *Gonipterus gibberus*
- 302 *Bactrocera zonata*
- 303 *Diabrotica speciosa*
- 304 *Limonius californicus*
- 305 *Melanotus communis*
- 306 *Fusarium circinatum*
- 307 *Trirachys sartus* (= *Aeolesthes sarta*)
- 308 *Dendrolimus sibiricus*
- 309 *Scolytus morawitzi*
- 310 *Tecia solanivora*
- 311 *Tetropium gracilicorne*
- 312 *Xylotrechus altaicus*
- 313 *Chrysanthemum stem necrosis virus* (*Orthotospovirus chrysanthinecrocaulis*)
- 314 *Maconellicoccus hirsutus*
- 315 *Stegophora ulmea*
- 316 *Cucumber vein yellowing virus* (*Ipomovirus cucumisvenafaci*)
- 317 *Dryocosmus kuriphilus*
- 318 *Garella* (= *Erschoviella*) *musculana*
- 319 *Lepidosaphes ussuriensis*
- 320 *Malacosoma parallela*
- 321 *Tuta absoluta*
- 322 *Agrilus planipennis*
- 323 *Tomato chlorosis virus* (*Crinivirus tomatichlorosis*)
- 324 *Curcurbit yellow stunting disorder virus* (*Crinivirus cucurbitae*)
- 325 *Ips subelongatus*
- 326 *Ips hauseri*
- 327 *Sirex ermak*
- 328 *Xylotrechus namanganensis*
- 329 *Ophiognomonia clavigignenti-juglandacearum*
- 330 *Dendrolimus superans*
- 331 *Lymantria mathura*
- 332 *Rhynchophorus palmarum*
- 333 *Strobilomyia viaria*
- 334 *Hydrocotyle ranunculoides*
- 335 formerly *Lysichiton americanus*
- 336 *Homalodisca vitripennis*
- 337 *Phytophthora lateralis*
- 338 *Paysandisia archon*
- 339 *Rhynchophorus ferrugineus*
- 340 *Crassula helmsii*
- 341 *Pueraria montana* var. *lobata*
- 342 *Solanum elaeagnifolium*
- 343 *Trichosferus campestris*
- 344 *Megaplatypus mutatus*
- 345 *Fusarium foetens*
- 346 *Puccinia hemerocallidis*
- 347 *Blueberry scorch virus* (*Carlavirus vaccinii*)
- 348 *Tomato infectious chlorosis virus* (*Crinivirus contagichlorosis*)
- 349 *Tetranychus evansi*
- 350 *Xanthomonas axonopodis* pv. *poinsettiicola*
- 351 *Pontederia* (= *Eichhornia*) *crassipes*
- 352 *Polygonum perfoliatum*
- 353 *Xanthomonas euvesicatoria* pv. *allii*
- 354 *Heracleum persicum*
- 355 *Heracleum sosnowskyi*
- 356 *Metamasius hemipterus*
- 357 *Bactrocera invadens* (deleted, now a synonym of *B. dorsalis*)
- 358 *Epitrix subcrinita*
- 359 *Saperda candida*
- 360 *Epitrix papa*
- 361 *Meloidogyne enterolobii*
- 362 *Agrilus anxius*
- 363 *Drosophila suzukii*
- 364 *Ludwigia peploides* & *L. grandiflora*
- 365 ‘*Candidatus Liberibacter solanacearum*’ (Solanaceae haplotypes)
- 366 *Bactericera cockerelli*
- 367 *Keiferia lycopersicella*
- 368 *Leucinodes orbonalis*
- 369 *Pepino mosaic virus* (*Potexvirus pepini*)
- 370 *Pseudomonas syringae* pv. *actinidiae*
- 371 *Apriona germari*
- 372 *Apriona rugicollis*
- 373 *Apriona cinerea*
- 374 *Oemona hirta*
- 375 *Phytophthora kernoviae*
- 376 *Phytophthora ramorum*
- 377 *Thaumatotibia leucotreta*
- 378 *Baccharis halimifolia*
- 379 *Acidovorax citrulli*
- 380 *Aromia bungii*
- 381 *Neoleucinodes elegantalis*

- 382 *Polygraphus proximus*  
 383 *Parthenium hysterophorus*  
 384 *Andean potato mild mosaic virus* (*Tymovirus mosandigenum*)  
 385 *Leucinodes africensis*  
 386 *Leucinodes pseudorbonalis*  
 387 *Leucinodes rimavallis*  
 388 *Geosmithia morbida* & *Pityophthora juglandis*  
 389 *Heterobasidion irregulare*  
 390 *Xanthomonas euvesicatoria* pv. *euvesicatoria*  
 391 *Xanthomonas cynarae* pv. *gardneri*  
 392 *Xanthomonas euvesicatoria* pv. *perforans*  
 393 *Alternanthera philoxeroides*  
 394 *Microstegium vimineum*  
 395 *Myriophyllum heterophyllum*  
 396 *Lycorma delicatula*  
 397 *Xanthomonas citri* subsp. *aurantifoliae*  
 398 *Euwallacea fornicatus* sensu lato & *Fusarium (Neocosmospora) euwallaceae*  
 399 'Candidatus Phytoplasma phoenicium'  
 400 *Ralstonia syzygii*  
 401 *Ralstonia pseudosolanacearum*  
 402 *Pucciniastrum minimum*  
 403 *Citrus* bark cracking viroid (*Cocadviroid*)  
 404 *Bactrocera latifrons*  
 405 *Ceratothripoides brunneus*  
 406 *Ceratothripoides claratris*  
 407 *Prodiplosis longifila*  
 408 *Platynota stultana*  
 409 *Meloidogyne malii*  
 410 *Cardiospermum grandiflorum*  
 411 *Gymnocoronis spilanthoides*  
 412 *Pistia stratiotes*  
 413 *Salvinia molesta*  
 414 *Neocerambyx raddei*  
 415 Rose rosette emaravirus (*Emaravirus rosae*)  
 416 *Phyllocoptes fructiphilus* (vector of *Emaravirus roseae*)  
 417 *Xanthomonas phaseoli* pv. *dieffenbachiae*  
 418 *Pomacea canaliculata*  
 419 *Pomacea maculata*  
 420 *Ambrosia confertiflora*  
 421 *Andropogon virginicus*  
 422 *Cortaderia jubata*  
 423 *Ehrharta calycina*  
 424 *Hakea sericea*  
 425 *Humulus scandens*  
 426 *Lespedeza cuneata*  
 427 *Lygodium japonicum*  
 428 *Neltuma juliflora*  
 429 *Triadica sebifera*  
 430 *Agrilus bilineatus*  
 431 *Agrilus fleischeri*  
 432 *Ambrosia trifida*  
 433 *Gymnandrosoma aurantianum*  
 434 *Naupactus xanthographus*  
 435 *Stagonosporopsis crystalliniformis*  
 436 *Amaranthus palmeri*  
 437 *Amaranthus tuberculatus*  
 438 *Tomato brown rugose fruit virus* (*Tobamovirus fructirugosum*)  
 439 *Chrysobothris femorata*  
 440 *Chrysobothris mali*  
 441 *Orgyia leucostigma*  
 442 *Celastrus orbiculatus*  
 443 *Chionaspis pinifoliae*  
 444 *Dendroctonus valens*  
 445 *Grapevine red blotch virus* (*Grablovirus vitis*)  
 446 *Tomato leaf curl New Delhi virus* (*Begomovirus solanumdelhiense*)  
 447 *Solanum carolinense*  
 448 *Meloidogyne ethiopica*  
 449 *Spodoptera ornithogalli*  
 450 *Spodoptera praefica*  
 451 *Tetranychus mexicanus*  
 452 *Ageratina adenophora*  
 453 *Crisicoccus pini*  
 454 *Meloidogyne luci*  
 455 *Meloidogyne graminicola*  
 456 *Agrilus mali*  
 457 *Chloridea virescens*  
 458 *Toumeyella parvicornis*  
 459 *Fusarium oxysporum* f.sp. *cubense* Tropical race 4  
 460 *Hakea decurrens* subsp. *physocarpa*  
 461 *Zizania latifolia*